

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: Krytox 240 Series and LVP fluorinated greases
Other means of identification: None known
Item numbers: Krytox 240AD: U30002525; U30002206
Krytox 240AB: U30002536; U30002535
Krytox 240AC: U30002538; U30002537
Krytox LVP: U30002075; U30002539

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use: Lubricant
Uses advised against: No data available

1.3 Details of the supplier of the safety data sheet.

UK contact details

Edwards, Innovation Drive, Burgess Hill, West Sussex,
RH15 9TW, United Kingdom

General enquiries
Tel: +44 (0)8459 212223
Email: info@edwardsvacuum.com

US contact details

Edwards, 6416 Inducon Drive West, Sanborn,
New York, 14132, USA

General enquiries
Toll Free: 1-800-848-9800

1.4 Emergency telephone number

Chemtrec: 1-800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS classification: Mixture.
Classification according to Regulation (EC) No. 1272/2008: Not classified as a hazardous mixture.
Classification according to Directive 1999/45/EC: Not classified as a hazardous mixture.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

2.2 Label elements

Hazard pictograms: Not applicable.
Signal words: Not applicable.
Hazard statements: Not applicable.
Precautionary statements: Not applicable.

2.3 Other hazards

PBT criteria: No data available.
vPvB criteria: No data available.
Other hazards which do not result in a classification: No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Ingredient	% Weight	CAS No	Hazard class*	Risk phrase / Hazard Statements*
Perfluoroalkylether	55-85	60164-51-4	Not applicable	Not applicable
Polytetrafluoroethylene	15-45	9002-84-0	Not applicable	Not applicable

* Hazard class, Risk phrase and Hazard Statements. These columns are only completed for ingredients which are classified as hazardous under EU Directive No 1272/2008 (as amended) and are present in sufficient concentration to make the overall substance hazardous. In all other situations, the column will be completed as "Not applicable".

Full text for the declared risk phrases and hazards statements is given in Section 16.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek medical attention if symptoms persist.

Skin: Wash with soap and plenty of water. Seek medical attention if symptoms persist.

Ingestion/Oral: If swallowed, seek medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Inhalation: After accidental inhalation of vapours of decomposition products, remove to fresh air. If breathing problems occur, a qualified individual should administer Oxygen or artificial respiration as indicated. Seek immediate medical attention.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

General advice: Treat symptomatically.

4.2 Most important symptoms and effect, both acute and delayed

Potential acute health effects:

Eyes: Eye contact may cause blurred vision, discomfort and lachrymation.
Skin: Skin contact may cause irritation and redness.
Ingestion / Oral: None known.
Inhalation: Inhalation of fluorinated compounds may cause lung irritation and pulmonary oedema. The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever with flu-like symptoms, especially when smoking contaminated tobacco.

Over-exposure symptoms:

Eyes: None known.
Skin: None known.
Ingestion / Oral: None known.
Inhalation: Repeated episodes of polymer fume fever may result in persistent lung effects.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: The product itself does not burn. Select extinguishing media to suit other material(s) involved.

Unsuitable extinguishing media: No data available.

5.2 Special hazards arising from the substance or mixture

Fire and explosion hazard: No data available.

Hazardous combustion products: Thermal decomposition may occur at temperatures above 300 °C/572 °F liberating fluorinated compounds.

5.3 Advice for fire-fighters

Special precautions for fire-fighters: Not applicable.

Special protective equipment for fire-fighters: Firefighters should wear Self-Contained Breathing Apparatus (SCBA) with a full face-piece operated in positive pressure mode. Skin protection should be worn to protect from thermal decomposition products.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

For Flammability Properties - refer to Section 9.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate non-essential staff, or those not equipped with individual personal protective equipment. Turn leaking containers leaktight up to prevent the escape of the product. Do not touch or walk through spilled material. Avoid contact with skin and eyes. Put on appropriate personal protective equipment (refer to Section 8).

For emergency responders: No data available.

6.2 Environmental precautions:

Stop the leak if it is safe/possible to do so. Use dykes or bunding to prevent spreading. Avoid contaminating sewers, streams, rivers and other water courses with spilled product. Notify the appropriate authorities if significant contamination occurs.

6.3 Methods and material for containment and cleaning up

Put on the necessary personal protective equipment: refer to Section 8. Exercise caution; the spill area may be slippery. Extinguish all ignition sources. Absorb material onto vermiculite, dry sand, earth or similar inert absorbent. Place spilled material into a covered container for disposal. Use a suitable cleaning solution to clean up any remaining product. Dispose of according to applicable local, state and federal regulations. Do not flush into surface water or sanitary sewer system.

6.4 Reference to other sections

Refer to Section 8 for information on personal protective equipment.

Refer to Section 13 for information on disposal considerations.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure personal protective equipment is used whenever handling the product, refer to Section 8. Avoid eating and drinking in areas where the product is used. Practice good hygiene. Wash hands after use and prior to consuming food and drink. Use in a well ventilated area and avoid breathing vapours from overheated product.

7.2 Conditions for safe storage, including any incompatibilities

DO NOT store together with food. Store in original, sealed containers protected from direct sunlight in a dry, cool, well ventilated area. Do not store in areas that may reach high temperatures (> 300 °C / 572 °F).

7.3 Specific end use(s)

No data available.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Substance	ACGIH - TLV	OSHA - PEL	Occupational Exposure Limits EH40 (UK)
None	Not applicable	Not applicable	Not applicable

8.2 Exposure controls

Appropriate engineering controls: None required under normal conditions of use. If heated above 300 °C / 572 °F local ventilation should be provided to avoid exposure to decomposition products.

Individual protection measures:

Eye/Face Protection: Wear suitable eye protection complying with EN 166.

Hand/Skin Protection: Wear chemical resistant impervious gloves complying with EN 374. Wear long-sleeved clothing or overalls/coveralls.

Respiratory Protection: None required under normal conditions of use. Wear suitable SCBA if heated above 300 °C / 572 °F.

Hygiene Measures: Practice good hygiene. Wash face, hands and any exposed skin thoroughly after handling. Immediately remove all soiled and contaminated clothing. Do not eat, drink or smoke while handling the product. Keep the product away from tobacco products.

Other/General Protection: None.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	White grease	Melting point / freezing point	Melting Point: 320 / 608	°C / °F
Odour	None	Initial boiling point and boiling range	No data available	°C / °F
Odour threshold	No data available	Flash point	Not applicable	°C / °F
pH	Neutral	Upper/lower flammability or explosive limits	No data available	°C / °F
Evaporation rate	No data available	Vapour pressure	No data available	kPa
Flammability (solid, gas)	No data available	Vapour density	No data available	g/cm ³
Solubility(ies)	Insoluble in water	Relative density	1.89-1.93 @ 24 °C / 75 °F	g/l
Partition coefficient: n-octanol/water	No data available	Auto-ignition temperature	No data available	°C / °F
Explosive properties	No data available	Decomposition temperature	300 / 572	°C / °F
Oxidising properties	No data available	Viscosity	No data available	cSt

9.2 Other information

None.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions of use.

10.2 Chemical stability

Stable under normal conditions of use.

10.3 Possibility of hazardous reactions

None expected under normal conditions of use.

10.4 Conditions to avoid

Avoid heating above 300 °C / 572 °F.

10.5 Incompatible materials

No data available.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

10.6 Hazardous decomposition products

Vapours which may irritate the respiratory system can be liberated at temperatures above 300 °C / 572 °F. Thermal decomposition will produce fluorinated compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:	General Approximate Lethal Dose (ALD) Oral: > 11, 000 mg/kg (rat) Perfluoroalkylether LD50 Oral: > 11, 000 mg/kg (rat) LD50 Dermal: > 17, 000 mg/kg (rabbit) Polytetrafluoroethylene LD50 Oral: > 11, 280 mg/kg (rat) The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms, especially when smoking contaminated tobacco.
Irritation:	Not classified as an irritant.
Corrosivity:	No data available.
Sensitisation:	Not classified as a skin sensitiser.
Repeat dose toxicity:	No evidence of toxicologically significant effects.
Carcinogenicity:	Perfluoroalkylether No data available. Polytetrafluoroethylene Not classifiable as a human carcinogen.
Mutagenicity:	Perfluoroalkylether Did not cause genetic damage in cultured bacterial cells. Polytetrafluoroethylene Tests of bacterial or mammalian cell cultures did not show mutagenic effects.
Specific Target Organ Toxicity (STOT) - single exposure	No data available.
STOT - repeated exposure	No data available.
Aspiration hazard	No data available.
Toxicity for reproduction:	Perfluoroalkylether No data available. Polytetrafluoroethylene No toxicity to reproduction.

Information on likely routes of exposure

No data available.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

Symptoms related to the physical, chemical and toxicological characteristics

Eye Effects:	May cause blurred vision, discomfort and lachrymation.
Skin Effects:	May cause irritation and redness.
Ingestion/Oral Effects:	No data available.
Inhalation Effects:	Inhalation of fluorinated compounds may cause lung irritation and pulmonary oedema. The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever with flu-like symptoms, especially when smoking contaminated tobacco.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data available.

Other information

No data available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Perfluoroalkylether

LC50 / 96 hr / Oncorhynchus Mykiss (Rainbow Trout): > 1, 000 mg/l

ErC50 / 72 hr / Pseudokirchneriella Subcapitata (Green Algae): > 1, 000 mg/l

NOEC / 72 hr / Pseudokirchneriella Subcapitata (Green Algae): > 1, 000 mg/l

EC50 / 48 HR / Daphnia Magna (Water Flea): > 100 mg/l

Polytetrafluoroethylene

The substance is a polymer and is not expected to produce toxic effects

12.2 Persistence and degradability

Not readily biodegradable.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

12.5 Results of PBT and vPvB assessment

PBT: No data available.

vPvB: No data available.

12.6 Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: If recycling is not practical, dispose of the product in compliance with all applicable local and national regulations. This product is not suitable for disposal via municipal sewers, drains, natural streams or rivers.

Packaging: If recycling is not practical, dispose of the packaging in compliance with all applicable local and national regulations. Do not allow rinsate from cleaning of equipment or disposed material to enter surface or groundwater.

SECTION 14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID	IMDG	IATA	United States DOT
Not applicable	Not applicable	Not applicable	Not applicable

14.2 UN proper shipping name

ADR/RID	IMDG	IATA	United States DOT
Not applicable	Not applicable	Not applicable	Not applicable

14.3 Transport hazard class

ADR/RID	IMDG	IATA	United States DOT
Not applicable	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

14.4 Packing group

ADR/RID	IMDG	IATA	United States DOT
Not applicable	Not applicable	Not applicable	Not applicable

14.5 Environmental hazards

ADR/RID	IMDG	IATA	United States DOT
Not applicable	Not applicable	Not applicable	Not applicable

14.6 Special precautions for user

ADR/RID	IMDG	IATA	United States DOT
Not applicable	Not applicable	Not applicable	Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environment regulations/legislation specific for the substance or mixture

European

This product has been classified in accordance with EU Regulation No 1907/2006 (REACH) on the Classification, Labelling and Packaging of Substances and Mixtures.

Classified as dangerous to supply: No.

German Federal Water Management Act: No data available.

United States

Materials contained in this product are on the U.S. Toxic Substances Control Act (TSCA).

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION:

This product does not contain toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) of 1986 and 40 CFR Part 372.

California Proposition 65: This product does not contain chemicals known to the State of California to cause cancer or reproductive toxicity.

Canadian

WHMIS Classification: No data available.

Ingredients in this product are included in the Canadian DSL.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

15.2 Chemical safety assessment

No data available.

SECTION 16. OTHER INFORMATION

This SDS is compiled in accordance with ANSI Z400.1, Regulation (EC) No 1907/2006 (as amended by Regulation No 453/2010) concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

16.1 Full text of abbreviated statements and phrases

Not applicable.

16.2 NFPA / HMIS hazard codes

NFPA Hazard codes		HMIS Hazard codes		Rating System
Health	No data available	Health	No data available	0 = No Hazard
Flammability	No data available	Flammability	No data available	1 = Slight Hazard
Instability	No data available	Reactivity	No data available	2 = Moderate Hazard
				3 = Serious Hazard
				4 = Severe Hazard

16.3 Sources of information for this data sheet

- DuPont Safety Data Sheet for "Krytox PFPE/PTFE Greases (GPL 20(X) Series)". Reference: 150000001170. Version 4, Revision date 11.07.2014.

SAFETY DATA SHEET (SDS)

PRODUCT NAME: GREASE - KRYTOX SERIES 240 & LVP

16.4 Glossary

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ALD - Approximate Lethal Dose; ANSI - American National Standards Institute; CAS No. - Chemical Abstracts Service number; Chemtrec - Chemical Transportation Emergency Centre (US); DSL - Domestic Substances List; EH40 (UK) - HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA - Emergency Planning and Community Right-to-Know Act; EU European Union; GHS - Globally Harmonized System of Classification and Labelling of Chemicals; HMIS - Hazardous Material Information Service; IATA - International carriage of dangerous goods by air; IBC - International Bulk Chemical; IMDG - International carriage of dangerous goods by sea; LD - Lethal Dose; MARPOL 73/78 - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the protocol of 1978; NFPA - National Fire Protection Association; OSHA - Occupational Safety and Health Administration; PBT - Persistent, Bioaccumulative, Toxic chemical; PEL - Permissible Exposure Limit; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - International carriage of dangerous goods by rail; SARA (Title III) - Superfund Amendments and Reauthorization Act; SARA 313 - Superfund Amendments and Reauthorization Act, Section 313; SDS - Safety Data Sheet; STEL - Short Term Exposure Limit, 15 minute reference period; STOT - Specific Target Organ Toxicity; SCBA - Self-Contained Breathing Apparatus; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act Public Law 94-469; TWA - Time Weighted Average, 8 hour reference period; US DOT - US Department of Transportation; vPvB - Very Persistent, Very Bioaccumulative chemical; WHMIS - Workplace Hazardous Materials Information System.

16.5 Revisions:

October 2010 - This document has been updated to reflect the latest regulatory and supplier safety information.

November 2012 - This document has been updated to reflect the latest regulatory and supplier safety information.

November 2014 - Data Sheet updated to conform to Regulation (EC) No 1907/2006 (as amended by Regulation 453/2010) and GHS.

January 2016 - Contact details updated. Revision date not changed to preserve 2-yearly SDS review date.

Although the information and recommendations in this data sheet are to the best of our knowledge correct, it is recommended that you make your own determination of the material's suitability for your purpose before you use it. The information contained in this data sheet has been reproduced from the manufacturer's data; accuracy of this information is the responsibility of the manufacturer. It should not, therefore, be construed as guaranteeing any specific property of the product.